

Table 2.67C Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2012 and 2013

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	675	801	955	1,007	1,016	1,076
GEOGRAPHIC DIVISION						
Northeast	288	312	363	394	407	430
New England	95	109	166	175	182	211
Middle Atlantic	272	290	322	355	363	375
Midwest	244	240	361	359	403	388
East North Central	191	194	285	299	337	317
West North Central	150	139	223	212	226	233
South	453	513	651	664	690	683
South Atlantic	313	388	487	515	543	544
East South Central	177	204	223	254	234	246
West South Central	269	260	342	318	336	322
West	376	458	512	544	533	580
Mountain	166	195	228	249	250	278
Pacific	335	408	458	480	471	502
COUNTY TYPE						
Large Metro	1,765	1,811	1,581	1,590	1,343	1,396
Small Metro	1,435	1,454	1,253	1,245	1,090	1,053
250K – 1 Mil. Pop.	1,164	1,230	1,043	1,079	915	939
< 250K Pop.	909	909	757	747	637	599
Nonmetro	986	978	788	792	607	670
Urbanized	681	669	573	558	453	463
Less Urbanized	690	760	524	605	402	505
Completely Rural	427	353	310	249	229	195

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 2.67D Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2012 and 2013

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	0.26	0.31	0.37	0.38	0.39	0.41
GEOGRAPHIC DIVISION						
Northeast	0.61	0.66	0.77	0.83	0.86	0.91
New England	0.76	0.87	1.34	1.40	1.47	1.69
Middle Atlantic	0.78	0.83	0.93	1.02	1.04	1.07
Midwest	0.44	0.43	0.65	0.64	0.72	0.69
East North Central	0.49	0.50	0.73	0.77	0.87	0.81
West North Central	0.88	0.81	1.31	1.23	1.32	1.35
South	0.47	0.53	0.68	0.68	0.72	0.70
South Atlantic	0.62	0.75	0.96	1.00	1.07	1.06
East South Central	1.15	1.32	1.45	1.64	1.52	1.58
West South Central	0.89	0.85	1.14	1.04	1.11	1.06
West	0.62	0.75	0.85	0.89	0.88	0.95
Mountain	0.90	1.04	1.24	1.33	1.36	1.49
Pacific	0.79	0.96	1.09	1.13	1.12	1.18
COUNTY TYPE						
Large Metro	0.39	0.44	0.52	0.53	0.57	0.56
Small Metro	0.42	0.48	0.61	0.67	0.67	0.74
250K – 1 Mil. Pop.	0.52	0.58	0.77	0.81	0.85	0.88
< 250K Pop.	0.69	0.87	1.01	1.33	1.12	1.43
Nonmetro	0.65	0.74	0.92	0.92	0.85	0.94
Urbanized	0.97	1.09	1.37	1.30	1.34	1.30
Less Urbanized	0.97	1.10	1.30	1.40	1.23	1.47
Completely Rural	2.01	2.12	2.78	2.88	3.11	2.69

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 2.67P Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2013 Versus 2012

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	0.0373		0.3796		0.9167	
GEOGRAPHIC DIVISION						
Northeast	0.6851		0.9513		0.8034	
New England	0.7570		0.7629		0.6414	
Middle Atlantic	0.7438		0.8313		0.5995	
Midwest	0.8281		0.7999		0.7345	
East North Central	0.9321		0.5691		0.5049	
West North Central	0.7992		0.6945		0.6832	
South	0.0578		0.5802		0.8633	
South Atlantic	0.0239		0.2813		0.5172	
East South Central	0.1869		0.6945		0.8578	
West South Central	0.6300		0.4393		0.5717	
West	0.2727		0.2482		1.0000	
Mountain	0.3927		0.5601		0.4614	
Pacific	0.1103		0.1053		0.6823	
COUNTY TYPE						
Large Metro	0.2142		0.9468		0.3636	
Small Metro	0.2017		0.0290		0.0960	
250K – 1 Mil. Pop.	0.9100		0.4160		0.9405	
< 250K Pop.	0.0350		0.0163		0.0069	
Nonmetro	0.2127		0.5499		0.5336	
Urbanized	0.5915		0.5456		0.5214	
Less Urbanized	0.8472		0.4152		0.5465	
Completely Rural	0.0196		0.2334		0.4647	

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 2.68C Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2012 and 2013

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	111	109	105	100	78	73
GEOGRAPHIC DIVISION						
Northeast	44	40	41	36	37	30
New England	19	19	18	17	13	15
Middle Atlantic	40	35	37	32	35	26
Midwest	42	45	37	42	28	30
East North Central	33	36	32	35	24	24
West North Central	25	25	20	23	16	17
South	69	68	67	63	48	46
South Atlantic	52	51	51	48	39	36
East South Central	27	20	25	18	16	13
West South Central	40	42	38	38	26	26
West	60	59	56	52	40	39
Mountain	33	31	30	29	20	21
Pacific	49	50	47	44	35	33
COUNTY TYPE						
Large Metro	120	113	107	94	71	64
Small Metro	79	87	68	74	45	44
250K – 1 Mil. Pop.	65	72	55	63	36	37
< 250K Pop.	47	50	41	39	27	23
Nonmetro	59	54	50	42	35	27
Urbanized	41	31	35	26	21	18
Less Urbanized	41	40	33	32	25	19
Completely Rural	19	23	18	18	13	10

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 2.68D Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Percentages, 2012 and 2013

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	0.44	0.44	0.42	0.40	0.31	0.29
GEOGRAPHIC DIVISION						
Northeast	1.03	0.95	0.97	0.86	0.88	0.72
New England	1.72	1.73	1.60	1.57	1.22	1.37
Middle Atlantic	1.26	1.12	1.19	1.02	1.12	0.84
Midwest	0.77	0.83	0.69	0.77	0.53	0.55
East North Central	0.88	0.97	0.83	0.92	0.63	0.64
West North Central	1.52	1.54	1.23	1.38	0.99	1.06
South	0.74	0.73	0.72	0.67	0.52	0.49
South Atlantic	1.11	1.10	1.11	1.03	0.83	0.77
East South Central	1.80	1.32	1.68	1.21	1.06	0.86
West South Central	1.24	1.29	1.18	1.18	0.82	0.81
West	1.00	0.99	0.94	0.88	0.67	0.66
Mountain	1.77	1.65	1.62	1.52	1.05	1.12
Pacific	1.20	1.22	1.14	1.07	0.85	0.80
COUNTY TYPE						
Large Metro	0.64	0.62	0.62	0.55	0.46	0.42
Small Metro	0.73	0.78	0.67	0.73	0.49	0.51
250K – 1 Mil. Pop.	0.88	0.92	0.81	0.88	0.58	0.62
< 250K Pop.	1.25	1.45	1.17	1.22	0.94	0.88
Nonmetro	1.03	0.96	0.94	0.85	0.75	0.65
Urbanized	1.44	1.39	1.31	1.26	0.96	1.02
Less Urbanized	1.55	1.41	1.39	1.27	1.27	0.90
Completely Rural	3.38	2.74	3.20	2.57	2.39	1.86

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 2.68P Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: P Values from Tests of Differences of Percentages, 2013 Versus 2012

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	0.0124		0.0055		0.0021	
GEOGRAPHIC DIVISION						
Northeast	0.1596		0.0252		0.0814	
New England	0.7167		0.2940		0.3524	
Middle Atlantic	0.1626		0.0473		0.1355	
Midwest	0.6907		0.4050		0.0715	
East North Central	0.5000		0.8332		0.3990	
West North Central	0.0938		0.0510		0.0422	
South	0.1801		0.0802		0.0441	
South Atlantic	0.7334		0.3293		0.1813	
East South Central	0.0426		0.0931		0.3367	
West South Central	0.5261		0.4307		0.2472	
West	0.0866		0.3737		0.5764	
Mountain	0.3526		0.5489		0.5959	
Pacific	0.1402		0.4943		0.7335	
COUNTY TYPE						
Large Metro	0.0364		0.0298		0.0947	
Small Metro	0.8395		0.4887		0.1551	
250K – 1 Mil. Pop.	0.5921		0.5265		0.4100	
< 250K Pop.	0.6787		0.7567		0.1795	
Nonmetro	0.0443		0.0282		0.0043	
Urbanized	0.4175		0.3538		0.5495	
Less Urbanized	0.0931		0.0726		0.0043	
Completely Rural	0.1910		0.1905		0.0559	

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 2.69C Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2012 and 2013

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	126	136	147	158	170	183
GEOGRAPHIC DIVISION						
Northeast	46	46	53	57	64	69
New England	17	20	22	23	31	33
Middle Atlantic	43	41	48	51	57	59
Midwest	45	42	50	49	60	65
East North Central	34	34	38	40	48	53
West North Central	28	25	31	29	37	35
South	86	91	98	105	116	122
South Atlantic	64	71	71	81	88	91
East South Central	28	33	31	40	36	45
West South Central	49	46	57	51	65	62
West	71	77	87	86	98	90
Mountain	36	34	39	39	42	42
Pacific	60	70	76	76	88	80
COUNTY TYPE						
Large Metro	355	351	337	340	284	294
Small Metro	299	263	288	246	250	204
250K – 1 Mil. Pop.	203	196	195	185	166	157
< 250K Pop.	225	191	218	181	194	144
Nonmetro	142	168	131	154	105	121
Urbanized	103	136	97	126	81	95
Less Urbanized	100	106	92	96	72	81
Completely Rural	40	46	33	43	25	33

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 2.69D Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Percentages, 2012 and 2013

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	0.37	0.39	0.42	0.45	0.49	0.53
GEOGRAPHIC DIVISION						
Northeast	0.75	0.75	0.86	0.92	1.05	1.12
New England	1.06	1.23	1.34	1.39	1.94	2.00
Middle Atlantic	0.96	0.90	1.07	1.13	1.25	1.31
Midwest	0.60	0.57	0.68	0.67	0.82	0.87
East North Central	0.67	0.66	0.75	0.79	0.94	1.04
West North Central	1.23	1.11	1.37	1.25	1.62	1.52
South	0.67	0.71	0.77	0.81	0.91	0.95
South Atlantic	0.98	1.08	1.09	1.23	1.35	1.39
East South Central	1.37	1.62	1.53	1.96	1.78	2.21
West South Central	1.15	1.09	1.36	1.21	1.55	1.45
West	0.85	0.92	1.04	1.03	1.18	1.08
Mountain	1.43	1.33	1.56	1.53	1.68	1.64
Pacific	1.04	1.19	1.31	1.31	1.51	1.37
COUNTY TYPE						
Large Metro	0.52	0.57	0.60	0.68	0.66	0.77
Small Metro	0.60	0.67	0.69	0.75	0.92	0.88
250K – 1 Mil. Pop.	0.77	0.85	0.87	0.96	1.08	1.12
< 250K Pop.	1.00	1.09	1.19	1.26	1.67	1.41
Nonmetro	0.91	0.87	1.02	0.94	1.17	1.06
Urbanized	1.09	1.16	1.34	1.34	1.66	1.49
Less Urbanized	1.53	1.28	1.67	1.42	1.81	1.77
Completely Rural	3.44	3.41	3.55	3.67	4.06	3.61

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 2.69P Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: P Values from Tests of Differences of Percentages, 2013 Versus 2012

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	0.2352		0.3017		0.3966	
GEOGRAPHIC DIVISION						
Northeast	0.4386		0.1762		0.1898	
New England	0.5770		0.9038		0.7976	
Middle Atlantic	0.5437		0.1422		0.1632	
Midwest	0.8871		0.2646		0.2676	
East North Central	0.8057		0.2168		0.4902	
West North Central	0.5784		0.8054		0.3095	
South	0.8225		0.8480		0.6378	
South Atlantic	0.8618		0.8476		0.6314	
East South Central	0.6824		0.9263		0.7308	
West South Central	0.7102		0.9717		1.0000	
West	0.2073		0.0696		0.4193	
Mountain	0.2305		0.4665		0.8977	
Pacific	0.0398		0.0187		0.4111	
COUNTY TYPE						
Large Metro	0.3640		0.3791		0.2078	
Small Metro	0.2839		0.2589		0.7432	
250K – 1 Mil. Pop.	0.7745		0.7586		0.3612	
< 250K Pop.	0.1822		0.1633		0.0675	
Nonmetro	0.8501		0.4603		0.2522	
Urbanized	0.7124		1.0000		0.7345	
Less Urbanized	0.2303		0.2958		0.0680	
Completely Rural	0.2397		0.8408		0.9967	

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 2.70C Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2012 and 2013

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	637	736	925	954	972	1,021
GEOGRAPHIC DIVISION						
Northeast	277	294	354	381	398	414
New England	86	93	158	167	175	196
Middle Atlantic	262	276	314	343	356	363
Midwest	226	217	351	345	389	379
East North Central	174	171	277	286	326	309
West North Central	139	128	219	206	218	227
South	411	480	622	626	653	647
South Atlantic	284	371	468	491	517	524
East South Central	163	194	217	243	225	232
West South Central	246	240	319	295	313	299
West	349	420	490	521	518	550
Mountain	151	174	221	232	244	258
Pacific	314	377	436	463	458	480
COUNTY TYPE						
Large Metro	1,631	1,682	1,463	1,463	1,263	1,298
Small Metro	1,307	1,319	1,138	1,119	1,013	974
250K – 1 Mil. Pop.	1,073	1,105	963	966	866	861
< 250K Pop.	798	817	650	661	552	549
Nonmetro	898	892	710	725	564	632
Urbanized	614	608	508	508	415	434
Less Urbanized	618	682	466	544	366	467
Completely Rural	392	314	281	216	212	173

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 2.70D Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2012 and 2013

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	0.32	0.36	0.46	0.47	0.48	0.50
GEOGRAPHIC DIVISION						
Northeast	0.75	0.79	0.96	1.03	1.08	1.12
New England	0.89	0.95	1.63	1.71	1.81	2.01
Middle Atlantic	0.97	1.01	1.16	1.26	1.31	1.33
Midwest	0.52	0.50	0.81	0.80	0.90	0.87
East North Central	0.58	0.57	0.92	0.95	1.09	1.03
West North Central	1.05	0.97	1.66	1.55	1.65	1.71
South	0.55	0.64	0.84	0.83	0.88	0.86
South Atlantic	0.71	0.92	1.18	1.22	1.30	1.30
East South Central	1.37	1.62	1.83	2.03	1.89	1.94
West South Central	1.08	1.04	1.41	1.28	1.38	1.30
West	0.75	0.89	1.06	1.11	1.12	1.17
Mountain	1.07	1.22	1.57	1.62	1.73	1.80
Pacific	0.97	1.15	1.35	1.42	1.42	1.47
COUNTY TYPE						
Large Metro	0.47	0.54	0.66	0.66	0.71	0.69
Small Metro	0.51	0.56	0.76	0.83	0.85	0.93
250K – 1 Mil. Pop.	0.65	0.66	0.98	0.99	1.08	1.08
< 250K Pop.	0.84	1.06	1.26	1.66	1.41	1.87
Nonmetro	0.78	0.91	1.11	1.13	1.04	1.14
Urbanized	1.21	1.35	1.67	1.63	1.64	1.60
Less Urbanized	1.10	1.36	1.58	1.71	1.51	1.79
Completely Rural	2.32	2.55	3.27	3.51	3.54	3.09

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 2.70P Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2013 Versus 2012

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	0.0778		0.6158		0.6696	
GEOGRAPHIC DIVISION						
Northeast	0.8520		0.6516		0.5804	
New England	0.8277		0.8354		0.6914	
Middle Atlantic	0.8983		0.5433		0.4038	
Midwest	0.8231		0.8804		0.7873	
East North Central	0.7149		0.7191		0.5439	
West North Central	0.8941		0.8021		0.6685	
South	0.0703		0.6668		0.9662	
South Atlantic	0.0194		0.2875		0.6082	
East South Central	0.2843		0.8007		0.7717	
West South Central	0.4831		0.3575		0.4859	
West	0.4367		0.4012		0.8867	
Mountain	0.3674		0.5642		0.3993	
Pacific	0.2157		0.2078		0.7682	
COUNTY TYPE						
Large Metro	0.3139		0.7941		0.2152	
Small Metro	0.2633		0.0452		0.1190	
250K – 1 Mil. Pop.	0.9789		0.4512		0.9524	
< 250K Pop.	0.0437		0.0244		0.0173	
Nonmetro	0.2879		0.5229		0.5366	
Urbanized	0.4513		0.6894		0.6380	
Less Urbanized	0.9744		0.3348		0.5224	
Completely Rural	0.0738		0.3228		0.5687	

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 2.71C Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2012 and 2013

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	653	760	941	984	1,004	1,052
GEOGRAPHIC DIVISION						
Northeast	282	301	358	390	402	425
New England	89	97	159	171	179	205
Middle Atlantic	267	282	319	351	359	372
Midwest	233	222	359	354	402	389
East North Central	179	174	283	294	336	318
West North Central	145	133	225	211	226	232
South	425	494	640	652	684	671
South Atlantic	294	380	479	509	538	539
East South Central	166	197	220	250	235	240
West South Central	258	248	337	308	331	313
West	360	432	498	528	526	560
Mountain	155	180	222	242	247	269
Pacific	324	388	445	467	464	485
COUNTY TYPE						
Large Metro	1,733	1,784	1,553	1,567	1,330	1,385
Small Metro	1,399	1,411	1,224	1,211	1,075	1,039
250K – 1 Mil. Pop.	1,133	1,193	1,021	1,051	903	926
< 250K Pop.	887	883	739	725	628	590
Nonmetro	965	955	770	778	601	665
Urbanized	664	656	557	550	447	460
Less Urbanized	670	738	511	588	397	498
Completely Rural	417	341	301	242	225	192

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 2.71D Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2012 and 2013

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	0.28	0.32	0.40	0.41	0.43	0.44
GEOGRAPHIC DIVISION						
Northeast	0.66	0.70	0.83	0.90	0.94	0.98
New England	0.79	0.85	1.41	1.50	1.59	1.80
Middle Atlantic	0.84	0.89	1.01	1.10	1.13	1.17
Midwest	0.46	0.44	0.71	0.70	0.80	0.76
East North Central	0.51	0.49	0.81	0.83	0.96	0.90
West North Central	0.94	0.85	1.45	1.35	1.46	1.49
South	0.49	0.56	0.74	0.74	0.79	0.76
South Atlantic	0.64	0.81	1.04	1.09	1.16	1.15
East South Central	1.19	1.40	1.58	1.78	1.69	1.71
West South Central	0.96	0.91	1.25	1.13	1.23	1.15
West	0.66	0.78	0.91	0.95	0.96	1.01
Mountain	0.94	1.07	1.34	1.44	1.49	1.60
Pacific	0.85	1.01	1.17	1.21	1.22	1.26
COUNTY TYPE						
Large Metro	0.41	0.47	0.56	0.58	0.62	0.61
Small Metro	0.44	0.49	0.67	0.73	0.74	0.81
250K – 1 Mil. Pop.	0.57	0.59	0.85	0.87	0.94	0.95
< 250K Pop.	0.72	0.91	1.10	1.45	1.24	1.57
Nonmetro	0.69	0.81	0.99	1.00	0.94	1.01
Urbanized	1.06	1.19	1.48	1.43	1.47	1.42
Less Urbanized	1.00	1.20	1.42	1.50	1.36	1.59
Completely Rural	2.15	2.30	3.00	3.19	3.32	2.89

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 2.71P Alcohol Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: *P* Values from Tests of Differences of Percentages, 2013 Versus 2012

Geographic Characteristic	Lifetime (2012)	Lifetime (2013)	Past Year (2012)	Past Year (2013)	Past Month (2012)	Past Month (2013)
TOTAL	0.0540		0.5016		0.7921	
GEOGRAPHIC DIVISION						
Northeast	0.7588		0.8074		0.7325	
New England	0.7385		0.8259		0.6703	
Middle Atlantic	0.8286		0.7018		0.5387	
Midwest	0.8075		0.7601		0.6623	
East North Central	0.7550		0.6069		0.4873	
West North Central	0.9867		0.8332		0.7899	
South	0.0707		0.6947		0.9635	
South Atlantic	0.0224		0.3146		0.5639	
East South Central	0.2636		0.8133		0.8179	
West South Central	0.5464		0.3746		0.5088	
West	0.3277		0.2497		0.9944	
Mountain	0.2585		0.4995		0.4242	
Pacific	0.1204		0.0969		0.6533	
COUNTY TYPE						
Large Metro	0.2588		0.9363		0.3296	
Small Metro	0.1937		0.0343		0.1136	
250K – 1 Mil. Pop.	0.9315		0.4352		0.9134	
< 250K Pop.	0.0264		0.0176		0.0093	
Nonmetro	0.3008		0.4309		0.4119	
Urbanized	0.4204		0.6607		0.6646	
Less Urbanized	0.8309		0.2636		0.3522	
Completely Rural	0.0483		0.3394		0.5974	

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 2.72C Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2012 and 2013

Geographic Characteristic	Alcohol Use (2012)	Alcohol Use (2013)	Binge Alcohol Use (2012)	Binge Alcohol Use (2013)	Heavy Alcohol Use (2012)	Heavy Alcohol Use (2013)
TOTAL	1,016	1,076	797	804	448	438
GEOGRAPHIC DIVISION						
Northeast	407	430	320	336	189	159
New England	182	211	142	154	74	84
Middle Atlantic	363	375	287	299	173	135
Midwest	403	388	334	332	200	180
East North Central	337	317	273	270	155	150
West North Central	226	233	195	198	123	93
South	690	683	492	523	282	291
South Atlantic	543	544	358	408	217	238
East South Central	234	246	161	190	100	103
West South Central	336	322	293	281	143	139
West	533	580	431	402	203	231
Mountain	250	278	187	199	83	122
Pacific	471	502	388	348	187	198
COUNTY TYPE						
Large Metro	1,343	1,396	729	782	360	375
Small Metro	1,090	1,053	541	559	266	238
250K – 1 Mil. Pop.	915	939	430	504	210	211
< 250K Pop.	637	599	350	303	173	118
Nonmetro	607	670	342	351	165	150
Urbanized	453	463	256	242	103	100
Less Urbanized	402	505	229	261	121	101
Completely Rural	229	195	118	117	46	65

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 2.72D Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2012 and 2013

Geographic Characteristic	Alcohol Use (2012)	Alcohol Use (2013)	Binge Alcohol Use (2012)	Binge Alcohol Use (2013)	Heavy Alcohol Use (2012)	Heavy Alcohol Use (2013)
TOTAL	0.39	0.41	0.31	0.31	0.17	0.17
GEOGRAPHIC DIVISION						
Northeast	0.86	0.91	0.68	0.71	0.40	0.34
New England	1.47	1.69	1.14	1.23	0.59	0.68
Middle Atlantic	1.04	1.07	0.83	0.86	0.50	0.39
Midwest	0.72	0.69	0.60	0.59	0.36	0.32
East North Central	0.87	0.81	0.70	0.69	0.40	0.39
West North Central	1.32	1.35	1.14	1.15	0.72	0.54
South	0.72	0.70	0.51	0.54	0.29	0.30
South Atlantic	1.07	1.06	0.70	0.79	0.43	0.46
East South Central	1.52	1.58	1.05	1.23	0.65	0.66
West South Central	1.11	1.06	0.97	0.92	0.47	0.45
West	0.88	0.95	0.71	0.66	0.34	0.38
Mountain	1.36	1.49	1.01	1.06	0.45	0.65
Pacific	1.12	1.18	0.92	0.82	0.44	0.47
COUNTY TYPE						
Large Metro	0.57	0.56	0.45	0.44	0.25	0.25
Small Metro	0.67	0.74	0.53	0.57	0.32	0.29
250K – 1 Mil. Pop.	0.85	0.88	0.65	0.70	0.38	0.38
< 250K Pop.	1.12	1.43	0.98	0.97	0.60	0.45
Nonmetro	0.85	0.94	0.63	0.67	0.36	0.33
Urbanized	1.34	1.30	1.00	0.99	0.49	0.47
Less Urbanized	1.23	1.47	0.89	1.06	0.58	0.48
Completely Rural	3.11	2.69	2.11	1.91	0.86	1.23

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 2.72P Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 12 or Older, by Geographic Characteristics: P Values from Tests of Differences of Percentages, 2013 Versus 2012

Geographic Characteristic	Alcohol Use (2012)	Alcohol Use (2013)	Binge Alcohol Use (2012)	Binge Alcohol Use (2013)	Heavy Alcohol Use (2012)	Heavy Alcohol Use (2013)
TOTAL	0.9167		0.8875		0.3092	
GEOGRAPHIC DIVISION						
Northeast	0.8034		0.2166		0.0112	
New England	0.6414		0.5427		0.2759	
Middle Atlantic	0.5995		0.2852		0.0221	
Midwest	0.7345		0.5663		0.1665	
East North Central	0.5049		0.6560		0.3442	
West North Central	0.6832		0.7043		0.2647	
South	0.8633		0.9006		0.5643	
South Atlantic	0.5172		0.6992		0.9419	
East South Central	0.8578		0.3032		0.3589	
West South Central	0.5717		0.9153		0.6887	
West	1.0000		0.1946		0.0469	
Mountain	0.4614		0.0388		0.0131	
Pacific	0.6823		0.7054		0.3759	
COUNTY TYPE						
Large Metro	0.3636		0.8539		0.6247	
Small Metro	0.0960		0.8176		0.6946	
250K – 1 Mil. Pop.	0.9405		0.4064		0.6355	
< 250K Pop.	0.0069		0.4269		0.1682	
Nonmetro	0.5336		0.7168		0.2129	
Urbanized	0.5214		0.8819		0.4907	
Less Urbanized	0.5465		0.6299		0.0772	
Completely Rural	0.4647		0.6106		0.2013	

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 2.73C Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2012 and 2013

Geographic Characteristic	Alcohol Use (2012)	Alcohol Use (2013)	Binge Alcohol Use (2012)	Binge Alcohol Use (2013)	Heavy Alcohol Use (2012)	Heavy Alcohol Use (2013)
TOTAL	78	73	56	54	25	23
GEOGRAPHIC DIVISION						
Northeast	37	30	24	25	9	13
New England	13	15	10	12	6	6
Middle Atlantic	35	26	22	22	7	12
Midwest	28	30	20	21	9	9
East North Central	24	24	17	17	8	8
West North Central	16	17	12	12	5	4
South	48	46	37	33	15	12
South Atlantic	39	36	29	24	11	9
East South Central	16	13	13	9	6	5
West South Central	26	26	19	20	8	7
West	40	39	30	30	14	12
Mountain	20	21	14	14	6	6
Pacific	35	33	26	26	12	10
COUNTY TYPE						
Large Metro	71	64	47	45	19	19
Small Metro	45	44	31	31	12	12
250K – 1 Mil. Pop.	36	37	24	26	10	10
< 250K Pop.	27	23	19	17	6	6
Nonmetro	35	27	26	21	11	9
Urbanized	21	18	15	13	5	4
Less Urbanized	25	19	20	15	9	7
Completely Rural	13	10	11	7	3	3

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 2.73D Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Percentages, 2012 and 2013

Geographic Characteristic	Alcohol Use (2012)	Alcohol Use (2013)	Binge Alcohol Use (2012)	Binge Alcohol Use (2013)	Heavy Alcohol Use (2012)	Heavy Alcohol Use (2013)
TOTAL	0.31	0.29	0.22	0.22	0.10	0.09
GEOGRAPHIC DIVISION						
Northeast	0.88	0.72	0.57	0.60	0.22	0.32
New England	1.22	1.37	0.88	1.12	0.55	0.51
Middle Atlantic	1.12	0.84	0.71	0.71	0.23	0.39
Midwest	0.53	0.55	0.38	0.39	0.17	0.17
East North Central	0.63	0.64	0.44	0.44	0.21	0.22
West North Central	0.99	1.06	0.74	0.73	0.33	0.24
South	0.52	0.49	0.39	0.35	0.16	0.13
South Atlantic	0.83	0.77	0.63	0.51	0.23	0.20
East South Central	1.06	0.86	0.87	0.62	0.43	0.31
West South Central	0.82	0.81	0.60	0.63	0.26	0.22
West	0.67	0.66	0.50	0.50	0.23	0.20
Mountain	1.05	1.12	0.73	0.77	0.32	0.30
Pacific	0.85	0.80	0.64	0.63	0.30	0.26
COUNTY TYPE						
Large Metro	0.46	0.42	0.32	0.31	0.14	0.14
Small Metro	0.49	0.51	0.37	0.38	0.15	0.16
250K – 1 Mil. Pop.	0.58	0.62	0.41	0.45	0.19	0.19
< 250K Pop.	0.94	0.88	0.73	0.69	0.24	0.27
Nonmetro	0.75	0.65	0.60	0.52	0.27	0.23
Urbanized	0.96	1.02	0.70	0.74	0.27	0.27
Less Urbanized	1.27	0.90	1.03	0.77	0.50	0.39
Completely Rural	2.39	1.86	2.15	1.43	0.77	0.62

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 2.73P Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 12 to 17, by Geographic Characteristics:
P Values from Tests of Differences of Percentages, 2013 Versus 2012**

Geographic Characteristic	Alcohol Use (2012)	Alcohol Use (2013)	Binge Alcohol Use (2012)	Binge Alcohol Use (2013)	Heavy Alcohol Use (2012)	Heavy Alcohol Use (2013)
TOTAL	0.0021		0.0026		0.3321	
GEOGRAPHIC DIVISION						
Northeast	0.0814		0.4311		0.4737	
New England	0.3524		0.8332		0.1807	
Middle Atlantic	0.1355		0.4411		0.1060	
Midwest	0.0715		0.0368		0.3867	
East North Central	0.3990		0.3008		0.9259	
West North Central	0.0422		0.0237		0.0674	
South	0.0441		0.0030		0.1193	
South Atlantic	0.1813		0.0131		0.3675	
East South Central	0.3367		0.0767		0.9680	
West South Central	0.2472		0.3507		0.1031	
West	0.5764		0.9009		0.9231	
Mountain	0.5959		0.9245		0.6551	
Pacific	0.7335		0.9265		0.7380	
COUNTY TYPE						
Large Metro	0.0947		0.1080		0.6398	
Small Metro	0.1551		0.3050		0.7131	
250K – 1 Mil. Pop.	0.4100		0.5261		0.5813	
< 250K Pop.	0.1795		0.3788		0.8404	
Nonmetro	0.0043		0.0013		0.2993	
Urbanized	0.5495		0.5742		0.5267	
Less Urbanized	0.0043		0.0017		0.3075	
Completely Rural	0.0559		0.0291		0.9719	

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 2.74C Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2012 and 2013

Geographic Characteristic	Alcohol Use (2012)	Alcohol Use (2013)	Binge Alcohol Use (2012)	Binge Alcohol Use (2013)	Heavy Alcohol Use (2012)	Heavy Alcohol Use (2013)
TOTAL	170	183	175	182	121	107
GEOGRAPHIC DIVISION						
Northeast	64	69	65	69	49	45
New England	31	33	37	33	25	27
Middle Atlantic	57	59	54	60	42	35
Midwest	60	65	62	69	43	45
East North Central	48	53	49	59	36	37
West North Central	37	35	38	34	24	25
South	116	122	126	109	86	64
South Atlantic	88	91	98	80	72	48
East South Central	36	45	37	38	23	23
West South Central	65	62	72	59	43	34
West	98	90	90	98	54	53
Mountain	42	42	40	38	25	22
Pacific	88	80	82	91	48	49
COUNTY TYPE						
Large Metro	284	294	218	217	101	99
Small Metro	250	204	196	152	106	65
250K – 1 Mil. Pop.	166	157	121	110	52	51
< 250K Pop.	194	144	157	110	92	41
Nonmetro	105	121	77	87	37	40
Urbanized	81	95	58	68	28	32
Less Urbanized	72	81	53	60	25	24
Completely Rural	25	33	19	22	8	11

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 2.74D Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Percentages, 2012 and 2013

Geographic Characteristic	Alcohol Use (2012)	Alcohol Use (2013)	Binge Alcohol Use (2012)	Binge Alcohol Use (2013)	Heavy Alcohol Use (2012)	Heavy Alcohol Use (2013)
TOTAL	0.49	0.53	0.51	0.52	0.35	0.31
GEOGRAPHIC DIVISION						
Northeast	1.05	1.12	1.06	1.13	0.80	0.74
New England	1.94	2.00	2.31	2.02	1.54	1.68
Middle Atlantic	1.25	1.31	1.18	1.33	0.93	0.77
Midwest	0.82	0.87	0.84	0.93	0.59	0.61
East North Central	0.94	1.04	0.97	1.16	0.71	0.72
West North Central	1.62	1.52	1.64	1.46	1.07	1.09
South	0.91	0.95	0.99	0.85	0.68	0.50
South Atlantic	1.35	1.39	1.49	1.22	1.11	0.73
East South Central	1.78	2.21	1.83	1.85	1.14	1.12
West South Central	1.55	1.45	1.72	1.39	1.02	0.81
West	1.18	1.08	1.09	1.17	0.65	0.64
Mountain	1.68	1.64	1.61	1.48	0.99	0.87
Pacific	1.51	1.37	1.41	1.56	0.83	0.84
COUNTY TYPE						
Large Metro	0.66	0.77	0.70	0.76	0.46	0.44
Small Metro	0.92	0.88	0.96	0.84	0.74	0.51
250K – 1 Mil. Pop.	1.08	1.12	0.99	1.01	0.60	0.64
< 250K Pop.	1.67	1.41	1.99	1.43	1.65	0.84
Nonmetro	1.17	1.06	1.05	1.01	0.69	0.65
Urbanized	1.66	1.49	1.43	1.55	1.07	1.03
Less Urbanized	1.81	1.77	1.63	1.59	1.02	0.87
Completely Rural	4.06	3.61	3.71	2.94	1.90	2.21

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

**Table 2.74P Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 18 to 25, by Geographic Characteristics:
P Values from Tests of Differences of Percentages, 2013 Versus 2012**

Geographic Characteristic	Alcohol Use (2012)	Alcohol Use (2013)	Binge Alcohol Use (2012)	Binge Alcohol Use (2013)	Heavy Alcohol Use (2012)	Heavy Alcohol Use (2013)
TOTAL	0.3966		0.0211		0.0025	
GEOGRAPHIC DIVISION						
Northeast	0.1898		0.0002		0.0025	
New England	0.7976		0.2304		0.4318	
Middle Atlantic	0.1632		0.0003		0.0014	
Midwest	0.2676		0.6464		0.5433	
East North Central	0.4902		0.8687		0.7008	
West North Central	0.3095		0.5411		0.6031	
South	0.6378		0.1106		0.0121	
South Atlantic	0.6314		0.1652		0.2314	
East South Central	0.7308		0.7218		0.2819	
West South Central	1.0000		0.4393		0.0143	
West	0.4193		0.5759		0.4679	
Mountain	0.8977		0.4339		0.0105	
Pacific	0.4111		0.3369		0.6513	
COUNTY TYPE						
Large Metro	0.2078		0.0192		0.0621	
Small Metro	0.7432		0.3290		0.0406	
250K – 1 Mil. Pop.	0.3612		0.9821		0.6585	
< 250K Pop.	0.0675		0.1491		0.0189	
Nonmetro	0.2522		0.8620		0.1418	
Urbanized	0.7345		0.5347		0.0454	
Less Urbanized	0.0680		0.3459		0.9331	
Completely Rural	0.9967		0.8205		0.5925	

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 2.75C Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2012 and 2013

Geographic Characteristic	Alcohol Use (2012)	Alcohol Use (2013)	Binge Alcohol Use (2012)	Binge Alcohol Use (2013)	Heavy Alcohol Use (2012)	Heavy Alcohol Use (2013)
TOTAL	972	1,021	749	766	420	420
GEOGRAPHIC DIVISION						
Northeast	398	414	309	315	176	145
New England	175	196	131	139	68	72
Middle Atlantic	356	363	280	283	162	126
Midwest	389	379	317	311	193	173
East North Central	326	309	261	255	150	144
West North Central	218	227	184	181	119	90
South	653	647	458	500	259	282
South Atlantic	517	524	336	400	193	233
East South Central	225	232	153	175	97	96
West South Central	313	299	265	262	133	134
West	518	550	403	388	198	219
Mountain	244	258	175	190	77	119
Pacific	458	480	363	336	184	186
COUNTY TYPE						
Large Metro	1,263	1,298	677	714	338	353
Small Metro	1,013	974	475	512	234	227
250K – 1 Mil. Pop.	866	861	384	464	201	203
< 250K Pop.	552	549	289	259	129	107
Nonmetro	564	632	318	314	156	138
Urbanized	415	434	231	217	95	92
Less Urbanized	366	467	210	228	116	91
Completely Rural	212	173	103	104	43	61

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 2.75D Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2012 and 2013

Geographic Characteristic	Alcohol Use (2012)	Alcohol Use (2013)	Binge Alcohol Use (2012)	Binge Alcohol Use (2013)	Heavy Alcohol Use (2012)	Heavy Alcohol Use (2013)
TOTAL	0.48	0.50	0.37	0.38	0.21	0.21
GEOGRAPHIC DIVISION						
Northeast	1.08	1.12	0.84	0.85	0.48	0.39
New England	1.81	2.01	1.35	1.42	0.70	0.73
Middle Atlantic	1.31	1.33	1.03	1.04	0.60	0.46
Midwest	0.90	0.87	0.74	0.72	0.45	0.40
East North Central	1.09	1.03	0.87	0.85	0.50	0.48
West North Central	1.65	1.71	1.40	1.36	0.90	0.68
South	0.88	0.86	0.62	0.66	0.35	0.37
South Atlantic	1.30	1.30	0.85	0.99	0.49	0.58
East South Central	1.89	1.94	1.28	1.46	0.81	0.80
West South Central	1.38	1.30	1.17	1.14	0.59	0.58
West	1.12	1.17	0.87	0.83	0.43	0.47
Mountain	1.73	1.80	1.24	1.33	0.55	0.83
Pacific	1.42	1.47	1.13	1.03	0.57	0.57
COUNTY TYPE						
Large Metro	0.71	0.69	0.56	0.55	0.31	0.31
Small Metro	0.85	0.93	0.64	0.70	0.38	0.37
250K – 1 Mil. Pop.	1.08	1.08	0.77	0.87	0.47	0.48
< 250K Pop.	1.41	1.87	1.16	1.18	0.62	0.56
Nonmetro	1.04	1.14	0.77	0.80	0.43	0.39
Urbanized	1.64	1.60	1.23	1.21	0.60	0.57
Less Urbanized	1.51	1.79	1.12	1.25	0.71	0.57
Completely Rural	3.54	3.09	2.37	2.26	1.03	1.50

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 2.75P Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 26 or Older, by Geographic Characteristics: P Values from Tests of Differences of Percentages, 2013 Versus 2012

Geographic Characteristic	Alcohol Use (2012)	Alcohol Use (2013)	Binge Alcohol Use (2012)	Binge Alcohol Use (2013)	Heavy Alcohol Use (2012)	Heavy Alcohol Use (2013)
TOTAL	0.6696		0.5597		0.8245	
GEOGRAPHIC DIVISION						
Northeast	0.5804		0.6605		0.0608	
New England	0.6914		0.7305		0.3944	
Middle Atlantic	0.4038		0.7524		0.0946	
Midwest	0.7873		0.6996		0.1264	
East North Central	0.5439		0.6993		0.2807	
West North Central	0.6685		0.9022		0.2386	
South	0.9662		0.6424		0.8890	
South Atlantic	0.6082		0.3651		0.7663	
East South Central	0.7717		0.3695		0.4656	
West South Central	0.4859		0.8782		0.7457	
West	0.8867		0.2270		0.0244	
Mountain	0.3993		0.0209		0.0019	
Pacific	0.7682		0.8847		0.4132	
COUNTY TYPE						
Large Metro	0.2152		0.6319		0.9884	
Small Metro	0.1190		0.6031		0.8392	
250K – 1 Mil. Pop.	0.9524		0.3741		0.5532	
< 250K Pop.	0.0173		0.7024		0.5549	
Nonmetro	0.5366		0.7746		0.3203	
Urbanized	0.6380		0.9377		0.7380	
Less Urbanized	0.5224		0.6992		0.0787	
Completely Rural	0.5687		0.7493		0.1564	

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 2.76C Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2012 and 2013

Geographic Characteristic	Alcohol Use (2012)	Alcohol Use (2013)	Binge Alcohol Use (2012)	Binge Alcohol Use (2013)	Heavy Alcohol Use (2012)	Heavy Alcohol Use (2013)
TOTAL	1,004	1,052	792	799	448	438
GEOGRAPHIC DIVISION						
Northeast	402	425	317	334	188	158
New England	179	205	142	153	73	83
Middle Atlantic	359	372	284	297	172	134
Midwest	402	389	331	331	200	180
East North Central	336	318	271	269	156	150
West North Central	226	232	193	196	122	93
South	684	671	490	522	282	291
South Atlantic	538	539	357	409	218	239
East South Central	235	240	161	190	98	102
West South Central	331	313	289	279	142	138
West	526	560	427	399	203	229
Mountain	247	269	186	199	83	121
Pacific	464	485	385	344	186	196
COUNTY TYPE						
Large Metro	1,330	1,385	727	777	360	375
Small Metro	1,075	1,039	534	552	266	237
250K – 1 Mil. Pop.	903	926	424	497	210	210
< 250K Pop.	628	590	347	298	172	117
Nonmetro	601	665	339	346	164	149
Urbanized	447	460	253	240	103	99
Less Urbanized	397	498	227	256	120	100
Completely Rural	225	192	114	116	46	65

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 2.76D Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2012 and 2013

Geographic Characteristic	Alcohol Use (2012)	Alcohol Use (2013)	Binge Alcohol Use (2012)	Binge Alcohol Use (2013)	Heavy Alcohol Use (2012)	Heavy Alcohol Use (2013)
TOTAL	0.43	0.44	0.34	0.34	0.19	0.18
GEOGRAPHIC DIVISION						
Northeast	0.94	0.98	0.74	0.77	0.44	0.37
New England	1.59	1.80	1.26	1.34	0.65	0.73
Middle Atlantic	1.13	1.17	0.90	0.94	0.55	0.42
Midwest	0.80	0.76	0.66	0.65	0.40	0.35
East North Central	0.96	0.90	0.77	0.76	0.44	0.43
West North Central	1.46	1.49	1.25	1.26	0.79	0.59
South	0.79	0.76	0.56	0.59	0.32	0.33
South Atlantic	1.16	1.15	0.77	0.87	0.47	0.51
East South Central	1.69	1.71	1.16	1.36	0.71	0.73
West South Central	1.23	1.15	1.07	1.02	0.53	0.51
West	0.96	1.01	0.78	0.72	0.37	0.41
Mountain	1.49	1.60	1.12	1.18	0.50	0.72
Pacific	1.22	1.26	1.01	0.89	0.49	0.51
COUNTY TYPE						
Large Metro	0.62	0.61	0.50	0.49	0.28	0.27
Small Metro	0.74	0.81	0.58	0.62	0.35	0.32
250K – 1 Mil. Pop.	0.94	0.95	0.71	0.77	0.42	0.42
< 250K Pop.	1.24	1.57	1.07	1.06	0.65	0.50
Nonmetro	0.94	1.01	0.69	0.74	0.39	0.36
Urbanized	1.47	1.42	1.10	1.10	0.54	0.51
Less Urbanized	1.36	1.59	0.99	1.16	0.63	0.53
Completely Rural	3.32	2.89	2.28	2.11	0.95	1.36

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 2.76P Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month among Persons Aged 18 or Older, by Geographic Characteristics: P Values from Tests of Differences of Percentages, 2013 Versus 2012

Geographic Characteristic	Alcohol Use (2012)	Alcohol Use (2013)	Binge Alcohol Use (2012)	Binge Alcohol Use (2013)	Heavy Alcohol Use (2012)	Heavy Alcohol Use (2013)
TOTAL	0.7921		0.9728		0.3236	
GEOGRAPHIC DIVISION						
Northeast	0.7325		0.2259		0.0090	
New England	0.6703		0.5409		0.3113	
Middle Atlantic	0.5387		0.2986		0.0157	
Midwest	0.6623		0.6437		0.1747	
East North Central	0.4873		0.6876		0.3353	
West North Central	0.7899		0.8107		0.2987	
South	0.9635		0.9328		0.6121	
South Atlantic	0.5639		0.5722		0.9693	
East South Central	0.8179		0.3618		0.3547	
West South Central	0.5088		0.9646		0.7490	
West	0.9944		0.2029		0.0473	
Mountain	0.4242		0.0395		0.0139	
Pacific	0.6533		0.7261		0.3718	
COUNTY TYPE						
Large Metro	0.3296		0.9062		0.6258	
Small Metro	0.1136		0.7660		0.7082	
250K – 1 Mil. Pop.	0.9134		0.3892		0.6225	
< 250K Pop.	0.0093		0.4717		0.1674	
Nonmetro	0.4119		0.9068		0.2295	
Urbanized	0.6646		0.9526		0.4498	
Less Urbanized	0.3522		0.8792		0.0930	
Completely Rural	0.5974		0.7785		0.1885	

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.